Author Index to Volume 189

Abedin, K.M., see S. Uemura 189 (1992) 193
Adhikari, S.K., Anomalies of complex variational phase shifts 189 (1992) 340
Agrup, S. and M. Aldén, Measurement of the collision-quenched lifetime of CO molecules in a flame at atmospheric pressure 189 (1992) 211
Aguilar, A., see A. Laganà 189 (1992) 138
Al-Adel, F., A. Hamdan, O. Binbrek and J.S. Baskin, Vibrational structure in the low energy region of the $^1A_2$ state of SO_2 189 (1992) 23
Alam, T.M., see T.P. Trouard 189 (1992) 67
Aldén, M., see S. Agrup 189 (1992) 211
Almlöf, J., see P.R. Taylor 189 (1992) 197
Anderson, J.B., see S.D. Piersall 189 (1992) 95
Anderson, S.M., J. Morton, K. Mauersberger, Y.L. Yung and W.B. DeMore, A study of atom exchange between $O_2(^1\Delta)$ and ozone 189 (1992) 581
Ando, Y., see Y. Saito 189 (1992) 236
Andreoni, W., F. Gygi and M. Parrinello, Structural and electronic properties of C_{70} 189 (1992) 241
Andrés, J., see O. Tapia 189 (1992) 395
Aota, N., see H. Uehara 189 (1992) 217
Asano-Someda, M., see S. Sato 189 (1992) 443
Attard, P. and G. Stell, Three-particle correlations in a hard-sphere fluid 189 (1992) 128
Augspurger, J.D. and C.E. Dykstra, Potential surfaces and intermolecular vibrational frequencies of hydrogen chloride complexes 189 (1992) 303
Axon, S.A., K.K. Fox, S.W. Carr and J. Klinowski, EXAFS studies of iron-substituted zeolite ZSM-5 189 (1992) 1

Babb, J.F. and J. Shertzer, Accurate nonrelativistic expectation values for H_2^+ 189 (1992) 287
Bader, R.F.W., see P.L.A. Popelier 189 (1992) 542
Baer, M., see I. Last 189 (1992) 84
Bakker, H.J., see O. Grabandt 189 (1992) 291
Barzykin, A.V., Stochastic treatment of fluorescence quenching in monodisperse micellar systems with exchange of probes and quenchers 189 (1992) 321
Baskin, J.S., see F. Al-Adel 189 (1992) 23
Bauschlicher Jr., C.W., see M. Sodupe 189 (1992) 266
Bauschlicher Jr., C.W., The photoelectron spectroscopy of $NiCl_2$ 189 (1992) 549
Bell, A.J., see T.G. Wright 189 (1992) 297
Berberan-Santos, M.N., J.P. Farinha, J.M.G. Martinho, J. Duhamel and M.A. Winnik, Lifetime recovery for species participating in complex kinetics. Application to the reversible excimer 189 (1992) 328
Berlande, J., see A. Lallement 189 (1992) 182
Berlin, Y.A., D.O. Drobnitsky, V.I. Goldanskii and V.V. Kuz'min, A possible description of the substates hierarchy in glass-like systems 189 (1992) 316
Binbrek, O., see F. Al-Adel 189 (1992) 23

Biquard, X., see A. Lallement 189 (1992) 182
Bohman, O., see F. Bökman 189 (1992) 414
Bökman, F., O. Bohman and H.O.G. Siegbahn, Electric double layers at solution surfaces studied by means of electron spectroscopy: a comparison of potassium octanoate in formamide and ethylene glycol solution 189 (1992) 414
Boldyrev, A.I., see Yu.M. Shulg'a 189 (1992) 577
Böttcher, H., see R. Thielsch 189 (1992) 226
Böwering, N., H.-W. Klausing, M. Müller, M. Salzmann and U. Heinzmann, Observation of vibrational excitation in photoelectron spectroscopy of HI^+ $^2\Pi$ 189 (1992) 467
Bowman, J.M., see U. Schnupf 189 (1992) 487
Bréchignac, C., Ph. Cahuzac, F. Carlier, M. de Frutos and J. Leygnier, Optical excitation in small ionized sodium clusters: closed-shell and open-shell systems 189 (1992) 28
Brown, M.F., see T.P. Trouard 189 (1992) 67

Cahuzac, Ph., see C. Bréchignac 189 (1992) 28
Cardenas, R., see O. Tapia 189 (1992) 395
Carlier, F., see C. Bréchignac 189 (1992) 28
Carr, S.W., see S.A. Axon 189 (1992) 1
Carter, E.A., see B. Hartke 189 (1992) 358
Castillo, S., see F. Colmenares-Landín 189 (1992) 378
Che, D. and L.A. Nafie, Isolation of Raman optical activity invariants 189 (1992) 35
Cheung, N.-H. and E.S. Yeung, Pulsed laser photodissociation of chromium hexacarbonyl at 308 nm: simultaneous monitoring of optical and acoustic emissions 189 (1992) 164
Chihara, H., see S. Takeda 189 (1992) 13
Christophorou, L.G., see L.A. Pinnaduwage 189 (1992) 486
Colmenares-Landín, F., S. Castillo, J.M. Martínez-Magadán, O. Novaro and E. Poulain, Role of excited states of maximal d-shell occupancy in the $Ru+H_2$ reaction 189 (1992) 378
Cuvellier, J., see A. Lallement 189 (1992) 182

De Frutos, M., see C. Bréchignac 189 (1992) 28
De Juan, J., see S.A. Reid 189 (1992) 430
De Lange, C.A., see O. Grabandt 189 (1992) 291
De Leon, N., Dynamical corrections for non-RRKM behavior 189 (1992) 371
DeMore, W.B., see S.M. Anderson 189 (1992) 581
De Pujo, P., see A. Lallement 189 (1992) 182
Dixon, D.A. and J.L. Gole, Description of the ground state electronic structures of Cu_2O, Cu_2S, Ag_2O and Ag_2S 189 (1992) 390
Donati, A., see C. Rossi 189 (1992) 278
Dou, X., Q. Shang and B.S. Hudson, Analysis of the decay of the fluorescence anisotropy of 2,4,6,8-decatetraene in a viscous hydrocarbon solution: the off-axis orientation of the transition dipole moment 189 (1992) 48
Dresner, J., see S.H. Modiano 189 (1992) 144
Drobnitsky, D.O., see Y.A. Berlin 189 (1992) 316
Du, K.Y., see S. Wategaonkar 189 (1992) 586
Duhamel, J., see M.N. Berberan-Santos 189 (1992) 328
Dykstra, C.E., see J.D. Augspurger 189 (1992) 303

Ebata, T., see K. Takazawa 189 (1992) 592
Ellermann, T., Fine structure of the CCl_3 UV absorption spectrum and CCl_3 kinetics 189 (1992) 175
Elsaesser, T., see W. Frey 189 (1992) 565
El-Shall, M.S., see D. Wright 189 (1992) 103
Engel, V., The calculation of autocorrelation functions for spectroscopy 189 (1992) 76

Fan, K. and S. Iwata, Theoretical study of the three isomers of the SiNO radical 189 (1992) 401
Farinha, J.P., see M.N. Berberan-Santos 189 (1992) 328
Fehér, M., see T. Pasinszki 189 (1992) 245
Fink, M., see J. Häger 189 (1992) 420
Fishbein, K.W., see S. Un 189 (1992) 54
Flament, J.P., see P.C. Hiberty 189 (1992) 259
Fox, K.K., see S.A. Axon 189 (1992) 1
François, J.P., see J.M.L. Martin 189 (1992) 529
Frey, J.G., see T.G. Wright 189 (1992) 297
Frey, W. and T. Elsaesser, Femtosecond intramolecular proton transfer of vibrationally hot molecules in the electronic ground state 189 (1992) 565
Frisch, M., I.N. Ragazos, M.A. Robb and H.B. Schlegel, An evaluation of three direct MC-SCF procedures 189 (1992) 524
Fujii, M., see K. Takazawa 189 (1992) 592
Fujimura, Y., see M. Sugawara 189 (1992) 346

Gadomski, W., J. Xu, D.W. Setser and T.O. Nelson, Quenching constants of KrF(B, C) by Kr and Xe and the KrF(B, C) equilibrium constant 189 (1992) 153
Gijbels, R., see J.M.L. Martin 189 (1992) 529
Gimenez, X., see A. Laganà 189 (1992) 138
Goldanskii, V.I., see Y.A. Berlin 189 (1992) 316
Gole, J.L., see D.A. Dixon 189 (1992) 390
Grabandt, O., H.J. Bakker and C.A. de Lange, The temperature dependence of the LiH photoelectron spectrum 189 (1992) 291
Griffin, R.G., see S. Un 189 (1992) 54
Gumbel, J. and W. Kiefer, Degenerate four-wave mixing spectroscopy in iodine vapor 189 (1992) 231
Gygi, F., see W. Andreoni 189 (1992) 241

Häger, J., C. Roth, M. Fink and H. Walther, Scattering of rotationally excited NO molecules from a graphite surface 189 (1992) 420
Hagler, T.W. and A.J. Heeger, The role of soliton-antisoliton configurations with A_g symmetry in the nonlinear optical response of polyacetylene 189 (1992) 333
Hale, B.N. and B. Kelly, Comment on vapor phase homogeneous nucleation of CH_3CN and the scaling law for onset supersaturation ratios 189 (1992) 100
Halonen, L., see D. Newnham 189 (1992) 205
Hamdan, A., see F. Al-Adel 189 (1992) 23
Han, C.-C. and M.A. Johnson, Nascent vibrational distribution of the O_2^- product ion in the photodissociation of $(O_2)_n^-$, $n=2$–4 189 (1992) 460
Hanazaki, I., see M. Yoshimoto 189 (1992) 18
Harigaya, K., Lattice distortion and energy-level structures in doped C_{70} by the extended Su–Schrieffer–Heeger model 189 (1992) 79

Hartke, B. and E.A. Carter, Spin eigenstate-dependent Hartree–Fock molecular dynamics 189 (1992) 358
Hayashi, M., see M. Sugawara 189 (1992) 346
Haymet, A.D.J., see J. Quintana 189 (1992) 273
Heaven, M.C., see U. Schnupf 189 (1992) 487
Heeger, A.J., see T.W. Hagler 189 (1992) 333
Heinzmann, U., see N. Böwering 189 (1992) 467
Hiberty, P.C., J.P. Flament and E. Noizet, Compact and accurate valence bond functions with different orbitals for different configurations: application to the two-configuration description of F_2 189 (1992) 259
Hiraoka, K., T. Mori and S. Yamabe, Gas-phase solvation of N_2^+ with Ar atoms: a charge switch in the reaction $N_2^+ + Ar \rightarrow Ar^+ ... N_2$ 189 (1992) 7
Hirata, Y., A. Nogata and N. Mataga, Picosecond transient absorption spectral studies on geminate electron–cation recombination in non-polar solvents: direct observation of the S_1 state formation 189 (1992) 159
Hirota, N., see M. Terazima 189 (1992) 560
Horiai, K., see H. Uehara 189 (1992) 217
Hoshino, K., see A. Nakajima 189 (1992) 455
Hotop, H., see D. Klar 189 (1992) 448
Hruska, F.E., see T. Schaefer 189 (1992) 252
Hudson, B.S., see X. Dou 189 (1992) 48
Hurley, M.D., see T.J. Wallington 189 (1992) 437

Ichihashi, M., Y. Ozaki and T. Kondow, Collision-induced core–ion ejection from cluster ion $Ar_{n-1}Xe^+$: molecular dynamics simulation 189 (1992) 353
Inabe, T., see S. Takeda 189 (1992) 13
Ito, M., see K. Takazawa 189 (1992) 592
Iwata, S., see K. Fan 189 (1992) 401

Jefferson, C.M. and A.J. Meixner, Frequency-domain measurements of spectral hole patterns burned with phase-coherent pulses 189 (1992) 60
Johnson, K.H., see Y. Takai 189 (1992) 518
Johnson, M.A., see C.-C. Han 189 (1992) 460
Jyothi Bhasu, V.C., see S. Yashonath 189 (1992) 311

Kamiya, K., see M. Yoshimura 189 (1992) 199
Karpfen, A., see M. Kofranek 189 (1992) 281
Kato, M., see Y. Saito 189 (1992) 236
Kauppi, E., see D. Newnham 189 (1992) 205
Kaya, K., see A. Nakajima 189 (1992) 455
Kelly, B., see B.N. Hale 189 (1992) 100
Kerim, A., see H. Uehara 189 (1992) 217
Kiefer, W., see J. Gumbel 189 (1992) 231
Kirstein, S. and H. Möhwald, Structure and optical properties of a monolayer single crystal of a cyanine dye 189 (1992) 408
Kitagawa, T., see S. Sato 189 (1992) 443
Klar, D., M.-W. Ruf and H. Hotop, Attachment of electrons to molecules at submillielectronvolt resolution 189 (1992) 448

Klausing, H.-W., see N. Böwering 189 (1992) 467
Klinowski, J., see S.A. Axon 189 (1992) 1
Kofranek, M., A. Karpfen and H. Lischka, Gauche- versus *s*-cis-butadiene revisited: a molecular dynamics simulation of the Ar matrix effect 189 (1992) 281
Kolba, E., J. Manz, H.-J. Schreier and I. Trisca, A reflection principle in continuum resonance Raman scattering 189 (1992) 505
Kondow, T., see M. Ichihashi 189 (1992) 353
Koshi, M., see M. Yoshimura 189 (1992) 199
Krasnovsky Jr., A.A., see K.V. Neverov 189 (1992) 189
Krömer, R. and W. Thiel, Ab initio calculation of harmonic force fields and vibrational spectra for trichloromethyltitanium and related compounds 189 (1992) 105
Kuklinski, J.R. and S. Mukamel, Radiative decay in semiconductor quantum dots at finite temperatures 189 (1992) 119
Kurtz, H.A., see T. Pluta 189 (1992) 255
Kuz'min, V.V., see Y.A. Berlin 189 (1992) 316

Laganà, A., A. Aguilar, X. Gimenez and J.M. Lucas, Heavy–heavy–light limit and exchanged-atom isotopic effects in atom–diatom reactivity 189 (1992) 138
Lahmani, F. and J. Sepiol, Spectral hole-burning isolation of fluorescent species in jet-cooled 9-methoxyanthracene complexes with water and alcohols 189 (1992) 479
LaJohn, L. and J.D. Talman, Minimax variational solution of the Dirac equation in molecular geometries 189 (1992) 383
Lallement, A., J. Cuvellier, J.M. Mestdagh, P. Meynadier, P. de Pujo, O. Sublemontier, J.P. Visticot, J. Berlande and X. Biquard, Reaction between (N_2O, Ar) binary clusters and barium atoms 189 (1992) 182
Last, I. and M. Baer, Variational (time-independent) calculations of reactive *S* matrix elements: application of negative imaginary absorbing potentials and contracted L^2 basis sets 189 (1992) 84
Lee, T.J., see P.R. Taylor 189 (1992) 197
Lee, T.J., see M. Sodupe 189 (1992) 266
Leforestier, C., see F. Le Quéré 189 (1992) 537
Legon, A.C. and D.G. Lister, The rotational spectrum of the argon–thiirane van der Waals molecule 189 (1992) 149
Legon, A.C., D.G. Lister and C.A. Rego, Rotational spectrum of CH_3NC...HCCH and a comparison of the properties of hydrogen bonds NC...HC and CN...HC 189 (1992) 221
Leone, S.R., see C.A. Taatjes 189 (1992) 486
Le Quéré, F. and C. Leforestier, Theoretical calculation of the Huggins band of ozone 189 (1992) 537
Leygnier, J., see C. Bréchignac 189 (1992) 28
Lim, E.C., see S.H. Modiano 189 (1992) 144
Lischka, H., see M. Kofranek 189 (1992) 281
Lister, D.G., see A.C. Legon 189 (1992) 149; 221
Lovejoy, C.M., see C.A. Taatjes 189 (1992) 486
Lucas, J.M., see A. Laganà 189 (1992) 138

Manz, J., see E. Kolba 189 (1992) 505
Markert, F. and O.J. Nielsen, Rate constants for the reaction of OH radicals with 1-chloroalkanes at 295 K 189 (1992) 171

Maroulis, G., The electric hyperpolarizability of ozone and sulfur dioxide 189 (1992) 112
Martin, J.M.L., J.P. François and R. Gijbels, Potential energy surface of B_4 and total atomization energies of B_2, B_3, and B_4 189 (1992) 529
Martínez-Magadán, J.M., see F. Colmenares-Landín 189 (1992) 378
Martinho, J.M.G., see M.N. Berberan-Santos 189 (1992) 328
Maruyama, Y., see S. Takeda 189 (1992) 13
Mataga, N., see Y. Hirata 189 (1992) 159
Matsui, H., see M. Yoshimura 189 (1992) 199
Mauersberger, K., see S.M. Anderson 189 (1992) 581
McDermott, A.E., see S. Un 189 (1992) 54
Meixner, A.J., see C.M. Jefferson 189 (1992) 60
Mestdagh, J.M., see A. Lallement 189 (1992) 182
Meynadier, P., see A. Lallement 189 (1992) 182
Mikušík, P., see Š. Pick 189 (1992) 513
Mitani, T., see S. Takeda 189 (1992) 13
Modiano, S.H., J. Dresner and E.C. Lim, Conformational similarity between triplet excimer and ground-state van der Waals dimer of aromatic hydrocarbons 189 (1992) 144
Möhwald, H., see S. Kirstein 189 (1992) 408
Mori, T., see K. Hiraoka 189 (1992) 7
Mori, Y., see M. Yoshimoto 189 (1992) 18
Moro, G.J. and A. Polimeno, Multi-barrier crossing regulated by the friction 189 (1992) 133
Morton, J., see S.M. Anderson 189 (1992) 581
Mukamel, S., see J.R. Kuklinski 189 (1992) 119
Müller, M., see N. Böwering 189 (1992) 467

Nafie, L.A., see D. Che 189 (1992) 35
Nagashima, H., see Y. Saito 189 (1992) 236
Nakajima, A., T. Sugioka, K. Hoshino and K. Kaya, Mass distributions of negative cluster ions of sodium oxide 189 (1992) 455
Nakatsuka, H., see S. Uemura 189 (1992) 193
Negri, F., G. Orlandi and F. Zerbetto, Prediction of the structure and the vibrational frequencies of a C_{84} isomer of D_2 symmetry 189 (1992) 495
Nelson, H.H., see J.K. Rice 189 (1992) 43
Nelson, T.O., see W. Gadomski 189 (1992) 153
Neverov, K.V. and A.A. Krasnovsky Jr., Assignment for the novel vibronic bands in the spectrum of the photosensitized singlet oxygen luminescence 189 (1992) 189
Newnham, D., X. Zhan, O. Vaittinen, E. Kauppi and L. Halonen, High-resolution photoacoustic study of the $4\nu_1$ band system of monofluoroacetylene using a titanium:sapphire ring laser 189 (1992) 205
Nielsen, O.J., see F. Markert 189 (1992) 171
Nobes, R.H. and L. Radom, The thermochemistry of the mercaptomethyl (CH_2SH^+) and thiomethoxy (CH_3S^+) cations: a comparison of G2 theory and experiment 189 (1992) 554
Nogata, A., see Y. Hirata 189 (1992) 159
Noizet, E., see P.C. Hiberty 189 (1992) 259
Novaro, O., see F. Colmenares-Landín 189 (1992) 378

Ohkohchi, M., see Y. Saito 189 (1992) 236

Okada, M., see S. Uemura 189 (1992) 193
Onori, G. and A. Santucci, Effect of temperature and solvent on the critical micelle concentration of sodium dodecylsulfate 189 (1992) 598
Opansky, B.J., see C.A. Taatjes 189 (1992) 486
Orlandi, G., see F. Negri 189 (1992) 495
Ovchinnikov, A.A., see Yu.M. Shulg'a 189 (1992) 577
Ozaki, Y., see M. Ichihashi 189 (1992) 353

Parrinello, M., see W. Andreoni 189 (1992) 241
Pasinszki, T., T. Veszprémi and M. Fehér, The equilibrium structure of methyl pseudohalides: an ab initio study 189 (1992) 245
Pasternack, L., see J.K. Rice 189 (1992) 43
Pick, Š. and P. Mikušík, The bulk and surface core-level shifts in transition-metal alloys with split d bands 189 (1992) 513
Piersall, S.D. and J.B. Anderson, Direct Monte Carlo simulation of chemical reaction systems: a Lindemann–Christiansen unimolecular reaction 189 (1992) 95
Pinnaduwage, L.A. and L.G. Christophorou, Enhanced electron attachment to superexcited states of nitric oxide, Chem. Phys. Letters 186 (1991) 4. Erratum 189 (1992) 486
Pluta, T. and H.A. Kurtz, An MCSCF study of the electric properties of the Be atom 189 (1992) 255
Polimeno, A., see G.J. Moro 189 (1992) 133
Popelier, P.L.A. and R.F.W. Bader, The existence of an intramolecular C–H–O hydrogen bond in creatine and carbamoyl sarcosine 189 (1992) 542
Poulain, E., see F. Colmenares-Landín 189 (1992) 378
Powis, I., Photoelectron anisotropy: what may be learned from photoelectron–photofragment ion correlations 189 (1992) 473
Prisner, T., see S. Un 189 (1992) 54

Quintana, J. and A.D.J. Haymet, The chemical potential of water: molecular dynamics computer simulation of the CF and SPC models 189 (1992) 273

Radom, L., see R.H. Nobes 189 (1992) 554
Ragazos, I.N., see M. Frisch 189 (1992) 524
Rego, C.A., see A.C. Legon 189 (1992) 221
Reid, S.A., F. Winterbottom, D.C. Scott, J. de Juan and H. Reisler, A crossed beam study of the reaction $C(^3P)+N_2O$: energy partitioning between the $NO(X^2\Pi)$ and $CN(X^2\Sigma^+)$ products 189 (1992) 430
Reisler, H., see S.A. Reid 189 (1992) 430
Rice, J.E., see P.R. Taylor 189 (1992) 197
Rice, J.K., L. Pasternack and H.H. Nelson, Einstein transition probabilities for the AlH $A^1\Pi$–$X^1\Sigma^+$ transition 189 (1992) 43
Robb, M.A., see M. Frisch 189 (1992) 524
Rösch, N. and I. Wilhelmy, Representation of electronic wavefunctions by Lobatto shape functions: application to the photoionization cross section of H_2^+ 189 (1992) 499
Rossi, C., A. Donati and M.R. Sansoni, Nuclear magnetic resonance as a tool for the identification of specific DNA–ligand interaction 189 (1992) 278
Roth, C., see J. Häger 189 (1992) 420
Ruf, M.-W., see D. Klar 189 (1992) 448

Sahyun, M.R.V. and D.K. Sharma, Photophysics of rigidized 7-aminocoumarin laser dyes: efficient intersystem crossing from higher excited state 189 (1992) 571
Saito, Y., H. Shinohara, M. Kato, H. Nagashima, M. Ohkohchi and Y. Ando, Electric conductivity and band gap of solid C_{60} under high pressure 189 (1992) 236
Salzmann, M., see N. Böwering 189 (1992) 467
Sansoni, M.R., see C. Rossi 189 (1992) 278
Santucci, A., see G. Onori 189 (1992) 598
Sato, S., M. Asano-Someda and T. Kitagawa, Time-resolved resonance Raman spectra of free-base octaethylporphyrin in the S_1 and T_1 states 189 (1992) 443
Schaefer, T., R. Sebastian and F.E. Hruska, Molecular orbital estimates of the structures and internal rotational barriers in 2-fluorotoluene and 2-chlorotoluene 189 (1992) 252
Schlegel, H.B., see M. Frisch 189 (1992) 524
Schnupf, U., J.M. Bowman and M.C. Heaven, Vibrational calculations and potential determination for ArOH* (v=0, 1) and ArOD* (v=0, 1) 189 (1992) 487
Schreier, H.-J., see E. Kolba 189 (1992) 505
Schwenke, D.W., The choice of coordinates for describing vibrations in H_2O 189 (1992) 91
Scott, D.C., see S.A. Reid 189 (1992) 430
Seaman, M.J., see S. Un 189 (1992) 54
Sebastian, R., see T. Schaefer 189 (1992) 252
Sepiol, J., see F. Lahmani 189 (1992) 479
Setser, D.W., see W. Gadomski 189 (1992) 153
Setser, D.W., see S. Wategaonkar 189 (1992) 586
Shang, Q., see X. Dou 189 (1992) 48
Sharma, D.K., see M.R.V. Sahyun 189 (1992) 571
Shertzer, J., see J.F. Babb 189 (1992) 287
Shinohara, H., see Y. Saito 189 (1992) 236
Shulg'a, Yu.M., A.I. Boldyrev and A.A. Ovchinnikov, Auger electron spectroscopy and electron energy loss spectroscopy study of ferromagnetic carbon 189 (1992) 577
Siegbahn, H.O.G., see F. Bökman 189 (1992) 414
Singel, D.J., see S. Un 189 (1992) 54
Sodupe, M., C.W. Bauschlicher Jr. and T.J. Lee, The calculation of the vibrational frequencies of $CuCO^+$, NiCO and $CuCH_3$ 189 (1992) 266
Steinfeld, J.I., see C. Van Zoeren 189 (1992) 425
Stell, G., see P. Attard 189 (1992) 128
Sublemontier, O., see A. Lallement 189 (1992) 182
Sugawara, M., M. Hayashi and Y. Fujimura, Non-Markovian effects of intermolecular vibrational coherence on femtosecond time-resolved coherent anti-Stokes Raman scattering from molecules in condensed phases 189 (1992) 346
Sugioka, T., see A. Nakajima 189 (1992) 455

Taatjes, C.A., C.M. Lovejoy, B.J. Opansky and S.R. Leone, Laser double resonance measurements of the quenching rates of $Br(^2P_{1/2})$ with H_2O, D_2O, HDO, and O_2, Chem. Phys. Letters 182 (1991) 39. Erratum 189 (1992) 486
Takai, Y. and K.H. Johnson, SCF-Xα-SW calculations for small molecules using the optimization technique of atomic-sphere radii 189 (1992) 518
Takazawa, K., M. Fujii, T. Ebata and M. Ito, Pulsed-field-ionization spectroscopy for the study of molecular cations 189 (1992) 592

Takeda, S., H. Chihara, T. Inabe, T. Mitani and Y. Maruyama, NMR study of proton dynamics in the NHO hydrogen bonds in the thermochromic crystals of N-salicylideneanilines 189 (1992) 13
Talman, J.D., see L. LaJohn 189 (1992) 383
Tapia, O., J. Andrés and R. Cardenas, Transition structure for the hydride transfer reaction from formate anion to cyclopropenyl cation: a simple theoretical model for the reaction catalyzed by formate dehydrogenase 189 (1992) 395
Taylor, P.R., T.J. Lee, J.E. Rice and J. Almlöf, The polarizabilities of neon, Chem. Phys. Letters 163 (1989) 359. Erratum 189 (1992) 197
Terazima, M. and N. Hirota, Investigation of the short-lived triplet state of pyridazine at room temperature by the transient grating method 189 (1992) 560
Thiel, W., see R. Krömer 189 (1992) 105
Thielsch, R. and H. Böttcher, Preparation and properties of Ge microcrystals in MgF_2 layers 189 (1992) 226
Thompson, D.L., see E.P. Wallis 189 (1992) 363
Trisca, I., see E. Kolba 189 (1992) 505
Trouard, T.P., T.M. Alam, J. Zajicek and M.F. Brown, Angular anisotropy of ^2H NMR spectral densities in phospholipid bilayers containing cholesterol 189 (1992) 67

Uehara, H., K. Horiai, A. Kerim and N. Aota, Infrared emission spectrum of TlF 189 (1992) 217
Uemura, S., M. Okada, K.M. Abedin and H. Nakatsuka, Fractal interpretation of non-Lorentzian persistent hole shapes in organic glasses 189 (1992) 193
Umeyama, H., see M. Yoshimura 189 (1992) 199
Un, S., T. Prisner, R.T. Weber, M.J. Seaman, K.W. Fishbein, A.E. McDermott, D.J. Singel and R.G. Griffin, Pulsed dynamic nuclear polarization at 5 T 189 (1992) 54

Vaittinen, O., see D. Newnham 189 (1992) 205
Van Zoeren, C. and J.I. Steinfeld, "Two-minus-one" stimulated emission pumping of nitric oxide 189 (1992) 425
Veszprémi, T., see T. Pasinszki 189 (1992) 245
Visticot, J.P., see A. Lallement 189 (1992) 182

Wallington, T.J. and M.D. Hurley, A kinetic study of the reaction of chlorine atoms with CF_3CHCl_2, CF_3CH_2F, $CFCl_2CH_3$, CF_2ClCH_3, CHF_2CH_3, CH_3D, CH_2D_2, CHD_3, CD_4 and CD_3Cl at 295 ± 2 K 189 (1992) 437
Wallis, E.P. and D.L. Thompson, Molecular dynamics simulation of conformational changes in gas-phase RDX 189 (1992) 363
Walther, H., see J. Häger 189 (1992) 420
Wategaonkar, S., K.Y. Du and D.W. Setser, Product branching in the $CO+NF(a^1\Delta)$ reaction 189 (1992) 586
Weber, R.T., see S. Un 189 (1992) 54
Wilhelmy, I., see N. Rösch 189 (1992) 499
Winnik, M.A., see M.N. Berberan-Santos 189 (1992) 328
Winterbottom, F., see S.A. Reid 189 (1992) 430
Wright, D. and M.S. El-Shall, Reply to the comment on the homogeneous nucleation of CH_3CN and the scaling law for onset supersaturation ratios 189 (1992) 103
Wright, T.G., A.J. Bell and J.G. Frey, Ab initio calculations on the ground and low-lying electronic states of the Cl_3 radical: emission from Cl_3 189 (1992) 297

Xu, J., see W. Gadomski 189 (1992) 153

Yamabe, S., see K. Hiraoka 189 (1992) 7
Yashonath, S. and V.C. Jyothi Bhasu, Structure-potential relationship and nature of disorder in liquids and glassy solids 189 (1992) 311
Yeung, E.S., see N.-H. Cheung 189 (1992) 164
Yoshikawa, K., see M. Yoshimoto 189 (1992) 18
Yoshimoto, M., K. Yoshikawa, Y. Mori and I. Hanazaki, Asymmetric coupling stabilizes the out-of-phase mode: experimental evidence in the Belousov–Zhabotinsky reaction 189 (1992) 18
Yoshimura, M., M. Koshi, H. Matsui, K. Kamiya and H. Umeyama, Non-Arrhenius temperature dependence of the rate constant for the $H+H_2S$ reaction 189 (1992) 199
Yung, Y.L., see S.M. Anderson 189 (1992) 581

Zajicek, J., see T.P. Trouard 189 (1992) 67
Zerbetto, F., see F. Negri 189 (1992) 495
Zhan, X., see D. Newnham 189 (1992) 205